



Making
document
management
easy for
everyone

2018 Fujitsu Scanner Product Guide



RPG Squarefoot Solutions
(800) 521-6319
www.rpg.com
info@rpg.com

ScanSnap Personal Scanners



| | ScanSnap S1300i USB portable duplex scanner | ScanSnap SV600 Contactless overhead/book scanner | ScanSnap iX100 Battery-powered, Wi-Fi, completely wireless! | ScanSnap iX500 Wi-Fi ADF duplex desktop scanner |
|-------------------------|---|--|--|---|
| Output resolution | Up to 600 dpi | Up to 600 dpi | Up to 600 dpi | Up to 600 dpi |
| Monochrome speed | 12 ppm / 24 ipm @ 300 dpi | 3.0 seconds per page @ 300 dpi | 5.2 seconds per page @ 300 dpi | 25 ppm / 50 ipm @ 300 dpi |
| Color speed | 12 ppm / 24 ipm @ 150 dpi | | | |
| Image sensor | Dual CIS | Single CCD | Single CIS | Dual CIS |
| Features | <ul style="list-style-type: none"> One-button searchable PDF creation Powered by USB or AC adapter (included) Quick Menu Scan modes: Black and white, 8-bit grayscale, 24-bit color Size detection Auto Color Detection Auto Rotation Auto Crop Auto Deskew Blank Page Removal PC and Mac compatible | <ul style="list-style-type: none"> One-button searchable PDF creation Book image correction Finger image removal Multiple Document Detection Quick Menu Scan modes: Black and white, 8-bit grayscale, 24-bit color Size detection Auto Color Detection Auto Rotation Auto Crop Auto Deskew Blank Page Removal PC and Mac compatible | <ul style="list-style-type: none"> Wi-Fi capable with access point and direct connect modes Rechargeable lithium battery, up to 260 sheets per full charge, or use USB power One-button searchable PDF creation Quick Menu Scan modes: Black and white, 8-bit grayscale, 24-bit color Size detection Auto Color Detection Auto Rotation Auto Crop Auto Deskew Blank Page Removal Two-page stitching PC and Mac compatible | <ul style="list-style-type: none"> Wi-Fi capable One-button searchable PDF creation Ultrasonic Double Feed Detection Quick Menu Scan modes: Black and white, 8-bit grayscale, 24-bit color Size detection Auto Color Detection Auto Rotation Auto Crop Auto Deskew Blank Page Removal PC and Mac compatible |
| Driver | ScanSnap-specific driver (Does not support TWAIN/ISIS) | ScanSnap-specific driver (Does not support TWAIN/ISIS) | ScanSnap-specific driver (Does not support TWAIN/ISIS) | ScanSnap-specific driver (Does not support TWAIN/ISIS) |
| Included software | <ul style="list-style-type: none"> ScanSnap Manager (PC/Mac) ScanSnap Organizer (PC/Mac) ScanSnap Receipt (PC/Mac) CardMinder (PC/Mac) ABBYY FineReader for ScanSnap (PC/Mac) Scan to SharePoint (PC Only) | <ul style="list-style-type: none"> ScanSnap Manager (PC/Mac) Nuance Power PDF Standard (PC) Nuance PDF Converter (Mac) ScanSnap Organizer (PC/Mac) ScanSnap Receipt (PC/Mac) CardMinder (PC/Mac) ABBYY FineReader for ScanSnap (PC/Mac) Scan to SharePoint (PC Only) | <ul style="list-style-type: none"> ScanSnap Manager (PC/Mac) ScanSnap Organizer (PC/Mac) ScanSnap Receipt (PC/Mac) CardMinder (PC/Mac) ABBYY FineReader for ScanSnap (PC/Mac) Scan to SharePoint (PC Only) | <ul style="list-style-type: none"> ScanSnap Manager (PC/Mac) Nuance Power PDF Standard (PC) Nuance PDF Converter (Mac) ScanSnap Organizer (PC/Mac) ScanSnap Receipt (PC/Mac) CardMinder (PC/Mac) ABBYY FineReader for ScanSnap (PC/Mac) Scan to SharePoint (PC Only) |
| Output methods | Searchable PDF, PDF, and JPEG | Searchable PDF, PDF, and JPEG | Searchable PDF, PDF, and JPEG | Searchable PDF, PDF, and JPEG |
| Paper size | Minimum | 2.0" x 2.0" | 1.0" x 1.0" | 2.0" x 2.0" |
| | Maximum | 8.5" x 14.17" (Legal/A4) | 17.0 x 11.8" (Tabloid/A3) | 8.5" x 14.17" (Legal/A4) |
| | Long document | Up to 34" long | — | Up to 34" long |
| | Carrier Sheet | — | — | Yes, Tabloid/A3 and photographs |
| Paper input (ADF) | Up to 10 sheets | — | 1 sheet | Up to 50 sheets |
| Interface | USB 2.0 (1.1 compatible) USB cable included | USB 3.0 (2.0/1.1 compatible) USB cable included | USB 2.0 (1.1 compatible) USB cable included | USB 3.0 (2.0/1.1 compatible) USB cable included |
| Limited warranty | 1 year Depot | 1 year Depot | 1 year Depot | 1 year Depot |
| Service upgrade options | <ul style="list-style-type: none"> Advance Exchange Priority Replacement ScanAid DIY cleaning and consumables kit | <ul style="list-style-type: none"> Advance Exchange Priority Replacement | <ul style="list-style-type: none"> Advance Exchange Priority Replacement | <ul style="list-style-type: none"> Advance Exchange Priority Replacement ScanAid DIY cleaning and consumables kit |



| | | fi-7030 ADF desktop scanner | fi-7160 / fi-7260 ADF or ADF+Flatbed |
|-------------------------|---------------|--|---|
| Output resolution | | Up to 600 dpi | Up to 600 dpi |
| Monochrome speed | | 27ppm / 54ipm @ 300 dpi | 60ppm / 120ipm @ 300 dpi |
| Color speed | | | |
| Image sensor | | Dual CIS | Dual CCD (fi-7160) Triple CCD (fi-7260) |
| Features | | <ul style="list-style-type: none"> Scan modes: Black and white, 8-bit grayscale, 24-bit color Hardware JPEG compression Ultrasonic Double Feed Detection Intelligent MultiFeed Function Paper protection Plastic and embossed card scanning (one at a time) Long document scanning Auto Rotation Auto Crop Auto Deskew Blank Page Removal Auto Color Detection | <ul style="list-style-type: none"> Scan modes: Black and white, 8-bit grayscale, 24-bit color Hardware JPEG compression Ultrasonic Double Feed Detection Intelligent MultiFeed Function Paper protection Plastic and embossed card scanning (continuous) Long document scanning Auto Rotation Auto Crop Auto Deskew Blank Page Removal Auto Color Detection |
| Driver | | PaperStream IP Driver (TWAIN/ISIS compatible) | PaperStream IP Driver (TWAIN/ISIS compatible) |
| Included software | | <ul style="list-style-type: none"> PaperStream Capture ScanSnap Manager for fi Series ABBYY FineReader for ScanSnap Scan to Microsoft SharePoint Software Operation Panel Error Recovery Guide Scanner Central Admin Agent | <ul style="list-style-type: none"> PaperStream Capture ScanSnap Manager for fi Series ABBYY FineReader for ScanSnap Scan to Microsoft SharePoint Software Operation Panel Error Recovery Guide Scanner Central Admin Agent |
| Paper size | Min ADF | 2" x 2" | 2" x 2.13" |
| | Max ADF | 8.5" x 14" (Legal) | 8.5" x 14" (Legal) |
| | Long document | Up to 220" long @ 200 dpi | Up to 220" long @ 200 dpi |
| | Max flatbed | — | 8.5" x 11.69" (fi-7180 only) |
| Paper input (ADF) | | Up to 50 sheets | Up to 80 sheets |
| Interface | | USB 2.0 | USB 3.0 |
| Limited warranty | | 1 year Depot | 1 year Advance Exchange |
| Service upgrade options | | <ul style="list-style-type: none"> Advance Exchange Priority Replacement Depot Mail-In Service ScanAid DIY cleaning and consumables kit | <ul style="list-style-type: none"> Advance Exchange Priority Replacement Depot Mail-In Service ScanAid DIY cleaning and consumables kit |
| Hardware options | | <ul style="list-style-type: none"> Post-scan back imprinter | <ul style="list-style-type: none"> Post-scan back imprinter (fi-7160 only) |

| | | fi-7180/fi-7280 ADF or ADF+Flatbed | fi-7460 / fi-7480 ADF wide-format scanners | | |
|---|--|--|---|---|--|
| Output resolution | | Up to 600 dpi | Up to 600 dpi | | |
| Monochrome speed | | 80 ppm / 160 ipm @ 300 dpi | 60 ppm / 120 ipm @ 300 dpi (fi-7460) 80 ppm / 160 ipm @ 300 dpi (fi-7480) | | |
| Color speed | | | | | |
| Image sensor | | Dual CCD (fi-7180) / Triple CCD (fi-7280) | Dual CCD | | |
| Features | | <ul style="list-style-type: none"> Scan modes: Black and white, 8-bit grayscale, 24-bit color Hardware JPEG compression Ultrasonic Double Feed Detection Intelligent MultiFeed Function Paper protection Plastic and embossed card scanning Long document scanning Auto Rotation Auto Crop Auto Deskew Blank Page Removal Auto Color Detection | <ul style="list-style-type: none"> Scan modes: Black and white, 8-bit grayscale, 24-bit color Hardware JPEG compression Ultrasonic Double Feed Detection Intelligent MultiFeed Function Skew Resistance Automatic stacking Paper protection Plastic and embossed card scanning Long document scanning Auto Rotation Auto Crop Auto Deskew Blank Page Removal Auto Color Detection | | |
| Driver | | PaperStream IP Driver (TWAIN/ISIS compatible) | PaperStream IP Driver (TWAIN/ISIS compatible) | | |
| Included software | | <ul style="list-style-type: none"> PaperStream Capture ScanSnap Manager for fi Series ABBYY FineReader for ScanSnap Scan to Microsoft SharePoint Software Operation Panel Error Recovery Guide Scanner Central Admin Agent | <ul style="list-style-type: none"> PaperStream Capture ScanSnap Manager for fi Series ABBYY FineReader for ScanSnap Scan to Microsoft SharePoint Software Operation Panel Error Recovery Guide Scanner Central Admin Agent | | |
| Paper size | Min ADF | 2" x 2.13" | 2" x 2.72" | | |
| | Max ADF | 8.5" x 14" (Legal) | 11.7" x 17" (Tabloid) | | |
| | Long doc. | Up to 220" long @ 200 dpi | Up to 220" long @ 200 dpi | | |
| | Max flatbed | 8.5" x 11.69" (fi-7280 only) | — | | |
| Paper input (ADF) | | Up to 80 sheets | Up to 100 sheets | | |
| Interface | | USB 3.0 | USB 3.0 | | |
| Limited warranty | | 1 year Advance Exchange | 3 months on-site | | |
| Service upgrade options | | <ul style="list-style-type: none"> Advance Exchange Priority Replacement Depot Mail-In Service ScanAid DIY cleaning and consumables kit | <table border="1"> <tr> <td> <ul style="list-style-type: none"> ScanCare Premium Service+Maintenance Basic Service </td> <td>4-hour, 24/7, or Next Business Day response time options</td> </tr> </table> | <ul style="list-style-type: none"> ScanCare Premium Service+Maintenance Basic Service | 4-hour, 24/7, or Next Business Day response time options |
| <ul style="list-style-type: none"> ScanCare Premium Service+Maintenance Basic Service | 4-hour, 24/7, or Next Business Day response time options | | | | |
| Hardware options | | <ul style="list-style-type: none"> Post-scan back imprinter (fi-7180 only) | <ul style="list-style-type: none"> Advance Exchange Priority Replacement Depot Mail-In Service ScanAid DIY cleaning and consumables kit Post-scan back imprinter | | |

fi Series Production Scanners



| | | fi-7600 ADF Low-Volume | fi-7700 ADF+Flatbed Low-Volume |
|-------------------------|---------------|---|---|
| Output resolution | | Up to 600 dpi | Up to 600 dpi |
| Monochrome speed | | 100 ppm / 200 ipm @ 300 dpi | 100 ppm / 200 ipm @ 300 dpi |
| Color speed | | | |
| Image sensor | | Dual CCD | Triple CCD |
| Features | | <ul style="list-style-type: none"> Scan modes: Black and white, 8-bit grayscale, 24-bit color Ultrasonic multi-feed detection sensor Paper detection sensor Warped document detection iSOP Intelligent Sonic Paper Protection Skew Reduction Multi-image output Auto color detection Blank page detection Intelligent dynamic threshold (IDTC) Split image Divide Long Page | <ul style="list-style-type: none"> Scan modes: Black and white, 8-bit grayscale, 24-bit color Ultrasonic multi-feed detection sensor Paper detection sensor Warped document detection iSOP Intelligent Sonic Paper Protection Skew Reduction Multi-image output Auto color detection Blank page detection Intelligent dynamic threshold (IDTC) Split image Divide Long Page |
| Driver | | PaperStream IP Driver (TWAIN/ISIS compatible) | PaperStream IP Driver (TWAIN/ISIS compatible) |
| Included software | | <ul style="list-style-type: none"> 2D Barcode for Paperstream PaperStream Capture ScanSnap Manager for fi Series Scan to Microsoft SharePoint ABBYY FineReader for ScanSnap Scanner Central Admin Agent Software Operation Panel Error Recovery Guide | <ul style="list-style-type: none"> 2D Barcode for Paperstream PaperStream Capture ScanSnap Manager for fi Series Scan to Microsoft SharePoint ABBYY FineReader for ScanSnap Scanner Central Admin Agent Software Operation Panel Error Recovery Guide |
| Paper size | Min ADF | 2.0" x 2.7" (50.8 x 69 mm) | 2.0" x 2.7" (50.8 x 69 mm) |
| | Max ADF | 12" x 17" (304.8 x 431.8 mm) | 12" x 17" (304.8 x 431.8 mm) |
| | Long document | 12" x 220" (304.8 x 5,588 mm) Up to 200m when using Divide Long Page | 12" x 220" (304.8 x 5,588 mm) Up to 200m when using Divide Long Page |
| | Max flatbed | — | 12" x 18" (304.8 x 457.2 mm) |
| Paper input (ADF) | | Up to 300 sheets (20 lb. letter) | Up to 300 sheets (20 lb. letter) |
| Interface | | USB 3.1 Gen 1 / USB 3.0 / USB 2.0 / USB 1.1 | USB 3.1 Gen 1 / USB 3.0 / USB 2.0 / USB 1.1 |
| Limited warranty | | 3 months on-site | 3 months on-site |
| Service upgrade options | | <ul style="list-style-type: none"> ScanCare Premium Service+Maintenance Basic Service 4-hour, 24/7, or Next Business Day response time options | <ul style="list-style-type: none"> ScanCare Premium Service+Maintenance Basic Service 4-hour, 24/7, or Next Business Day response time options |
| Hardware options | | <ul style="list-style-type: none"> Advance Exchange Priority Replacement Depot Mail-In Service ScanAid DIY cleaning and consumables kit | <ul style="list-style-type: none"> Depot Mail-In Service ScanAid DIY cleaning and consumables kit |
| Hardware options | | <ul style="list-style-type: none"> Post-scan back imprinter | <ul style="list-style-type: none"> Black background for flatbed |

| | | fi-6400 ADF Mid-Volume | fi-6800 ADF Mid-Volume | fi-5950 ADF Mid-Volume |
|-------------------------|---------------|--|---|---|
| Output resolution | | Up to 600 dpi | Up to 600 dpi | Up to 600 dpi |
| Monochrome speed | | 100 ppm / 200 ipm @ 300 dpi | 130 ppm / 260 ipm @ 300 dpi | 135 ppm / 270 ipm @ 300 dpi |
| Color speed | | | | |
| Image sensor | | Dual CCD | Dual CCD | Dual CCD |
| Features | | <ul style="list-style-type: none"> Scan modes: Black and white, 8-bit grayscale, 24-bit color Hardware JPEG compression Ultrasonic Double Feed Detection Intelligent MultiFeed Function Paper protection Plastic and embossed card scanning Long document scanning Auto Rotation Auto Crop Auto Deskew Blank Page Removal Auto Color Detection | <ul style="list-style-type: none"> Scan modes: Black and white, 8-bit grayscale, 24-bit color Hardware JPEG compression Ultrasonic Double Feed Detection Intelligent MultiFeed Function Paper protection Plastic and embossed card scanning (continuous) Long document scanning Auto Rotation Auto Crop Auto Deskew Blank Page Removal Auto Color Detection | <ul style="list-style-type: none"> Scan modes: Black and white, 8-bit grayscale, 24-bit color Hardware JPEG compression Ultrasonic Double Feed Detection Intelligent MultiFeed Function Paper protection Plastic and embossed card scanning (continuous) Long document scanning Auto Rotation Auto Crop Auto Deskew Blank Page Removal Auto Color Detection |
| Driver | | PaperStream IP Driver (TWAIN/ISIS) VRS (optional) | PaperStream IP Driver (TWAIN/ISIS) | PaperStream IP Driver (TWAIN/ISIS) |
| Included software | | <ul style="list-style-type: none"> PaperStream Capture ScanSnap Manager for fi Series ABBYY FineReader for ScanSnap Scan to Microsoft SharePoint Software Operation Panel Error Recovery Guide Scanner Central Admin Agent | <ul style="list-style-type: none"> PaperStream Capture ScanSnap Manager for fi Series ABBYY FineReader for ScanSnap Scan to Microsoft SharePoint Software Operation Panel Error Recovery Guide Scanner Central Admin Agent | <ul style="list-style-type: none"> PaperStream Capture ScanSnap Manager for fi Series ABBYY FineReader for ScanSnap Scan to Microsoft SharePoint Software Operation Panel Error Recovery Guide Scanner Central Admin Agent |
| Paper size | Min | 2.1" x 2.9" | 2.1" x 2.9" | 2.1" x 2.9" |
| | Max | 12" x 17" (Tabloid/A3) | 12" x 17" (Tabloid/A3) | 12" x 17" (Tabloid/A3) |
| | Long document | Up to 125" long @ 300 dpi | Up to 125" long @ 300 dpi | Up to 125" long @ 200 dpi |
| Paper input (ADF) | | Up to 500 sheets | Up to 500 sheets | Up to 500 sheets |
| Interface | | USB 2.0/1.1 (Switchable) | USB 2.0, Ultra Wide SCSI | USB 2.0, Ultra Wide SCSI |
| Limited warranty | | 3 months on-site | 3 months on-site | 3 months on-site |
| Service upgrade options | | <ul style="list-style-type: none"> ScanCare Premium Service+Maintenance with 4-hour, 24/7, or Next Business Day response time options Basic Service with 4-hour, 24/7, or Next Business Day response time options ScanAid DIY cleaning and consumables kit | | |
| Hardware options | | <ul style="list-style-type: none"> Post-scan front imprinter Post-scan back imprinter | <ul style="list-style-type: none"> Post-scan front imprinter Post-scan back imprinter | <ul style="list-style-type: none"> Post-scan front imprinter Post-scan back imprinter |



| | | N7100 Network scanner | fi-65F Small flatbed for IDs and passports |
|-------------------------|---------------|--|--|
| Output resolution | | Up to 600 dpi | Up to 600 dpi |
| Monochrome speed | | 25ppm / 50ipm @ 300 dpi | 1.0 second per scan @ 300 dpi |
| Color speed | | 25ppm / 50ipm @ 300 dpi | 2.5 seconds per scan @ 300 dpi |
| Image sensor | | Dual CIS | Single CIS |
| Features | | <ul style="list-style-type: none"> 8.4" XGA touch screen Customizable job buttons Scan modes: Black and white, 8-bit grayscale, 24-bit color Hardware JPEG compression Ultrasonic Double Feed Detection Intelligent MultiFeed Function Paper protection Plastic and embossed card scanning (continuous) Long document scanning Auto Rotation Auto Crop Auto Deskew Blank Page Removal Auto Color Detection | <ul style="list-style-type: none"> Scan modes: Simplex; Black and white, 8-bit grayscale, 24-bit color Hardware JPEG compression Auto Crop Auto Deskew Removable document cover |
| Driver | | Drivers are embedded | PaperStream IP Driver (TWAIN/ISIS compatible) |
| Included software | | Software is embedded; SDK is available | <ul style="list-style-type: none"> PaperStream Capture Software Operation Panel |
| Paper size | Minimum | 2" x 2" | — |
| | Maximum | 8.5" x 14" (Legal) | 5.83" x 4.13" |
| | Long document | Up to 120" long @ 200 dpi | — |
| Paper input (ADF) | | Up to 50 sheets | — |
| Interface | | RJ45: 10BASE-T, 100BASE-TX, 1000BASE-T | USB 2.0 |
| Limited warranty | | One year Depot | One year Depot |
| Service upgrade options | | <ul style="list-style-type: none"> Basic Service with 4-hour, 24/7, or Next Business Day response time options Advance Exchange Priority Replacement Depot Mail-In Service ScanAid DIY cleaning and consumables kit | <ul style="list-style-type: none"> Advance Exchange Priority Replacement Depot Mail-In Service ScanAid DIY cleaning and consumables kit |
| Hardware options | | External keyboard and stand | — |
| | | The N7100 is also available in a CAC/PIV-enabled model capable of smartcard authentication for high-security governmental applications. | |

Fujitsu offers a portfolio of capture software that can help you leverage and optimize what's most important on documents - the data. Our solutions increase business efficiency, reduce costs, and minimize resources. Scalable, high quality, and comprehensive, the portfolio offers a range of solutions that enable you to integrate a capture offering that matches your business needs and overall capture goals.

Let us design a solution that fits your needs. To learn more and get a no-obligation quote for your business, call us at 888.425.8228.



PaperStream Capture Pro complements Fujitsu fi Series scanners and improves business efficiency by offering superior front end capture, image processing, and options for enhanced data extraction and indexing for release.



PaperStream Capture, included with Fujitsu fi Series scanners, delivers enhanced images to save time and money. Built upon PaperStream TWAIN and ISIS drivers, PaperStream Capture is a simple, front end scanning software.



The industry-recognized PaperStream IP TWAIN and ISIS drivers apply powerful and unique image correction to Fujitsu fi Series scanners, allowing documents to be quickly converted into exceptionally high quality images in small sizes.



RPG Squarefoot Solutions
(800) 521-6319
www.rpg.com
info@rpg.com

©2018 Fujitsu Computer Products of America, Inc. All rights reserved.
Fujitsu and the Fujitsu logo are registered trademarks. ScanCare and ScanAid are trademarks of Fujitsu Computer Products of America, Inc. PaperStream is a registered trademark of PFU Limited, Japan.
ISIS is a registered trademark of EMC Corporation.
All other trademarks mentioned herein are the property of their respective owners.

Printed in the USA on paper from responsible sources. Please recycle.
180130R3

